



**DEPARTMENT OF PUBLIC HEALTH AND SOCIAL SERVICES
DIVISION OF ENVIRONMENTAL HEALTH
CHILD CARE FACILITY
INSPECTION REPORT**

REASON		GRADE	Inspection Date:	ESTABLISHMENT NAME:	
Regular	<input checked="" type="checkbox"/>	2	<u>04/12/2018</u>	<u>MERCY HEIGHTS NURSERY & KINDERGARTEN</u>	
Follow-Up			Time In/Out:	OWNER/OPERATOR:	
Complaint			<u>2:45PM</u> <u>4:45PM</u>	<u>SISTERS OF MERCY</u>	
Investigation		RATING	LOCATION:		Establishment Type:
Other:		A	<u>TAMUNING</u>		<u>CCC/N</u>
			Sanitary Permit No.:	PERMIT STATUS:	
			<u>20000-170003117</u>	<input checked="" type="checkbox"/> Valid <input type="checkbox"/> Temporary <input type="checkbox"/> Expired	
No. of Children: <u>104</u> Male <u>94</u> Female <u>198</u> Total			Child Care License: No.: <u>180192</u> <input checked="" type="checkbox"/> Valid <input type="checkbox"/> / / Provisional <input type="checkbox"/> / / Expired		

The following items identify violations found this day in the operations and facilities which must be corrected by the next inspection or sooner as the Department indicates. Non-compliance may result in downgrading or permit suspension. To appeal a written request for hearing must be submitted before the indicated correction date.

ITEM*	REMARKS	DEMERIT	CORRECT BY
	A REGULAR INSPECTION WAS CONDUCTED TODAY. PREVIOUS INSPECTION DATED ON 02/12/2018 RESULTED IN A GRADE/RATING OF 6/A. PREVIOUS VIOLATION #82 WAS CORRECTED. SOME ITEMS ON #31 WERE NOT CORRECTED. THE FOLLOWING WERE OBSERVED TODAY:		
31.	AS PER PERSON-IN-CHARGE, CARPET ON PLAYGROUND EQUIPMENT WAS NOT REGULARLY CLEANED. CEILING TILE IN ADABANG ROOM FOUND IN DISREPAIR. *REPEAT VIOLATION.	2	05/12/2018
	ALL AREAS, FACILITIES, AND EQUIPMENT SHALL BE KEPT CLEAN, NEAT, IN SANITARY CONDITION, AND IN A GOOD STATE OF REPAIR TO PREVENT THE TRANSFER OF BACTERIA AND INJURY/PHYSICAL HAZARD.		
	PHOTOS WERE TAKEN.		
	REMOVED PLACARD "A" NO. 02624. POSTED PLACARD "A" DISCUSSED REPORT WITH MS. LUCINDA BARAZAN, NO. 02696 ASSISTANT CURRICULUM COORDINATOR		
	FAILURE TO COMPLY WITH ANY NOTICE ISSUED IN ACCORDANCE WITH THE PROVISIONS OF ANY APPLICABLE LAWS, RULES, OR REGULATIONS MAY RESULT IN IMMEDIATE SUSPENSION OF THE PERMIT OR ESTABLISHMENT DOWNGRADED		

I have read and understand the above violation(s) and I am aware of the corrective measures to be taken.

*Note: When any of the following items are cited above, they shall be corrected within 10 days of this inspection:

(2), (4), (6), (14), (21), (23), (24), (27), (28), (39) & (40).

Received By (Name & Title):

Lucinda Barazan Curriculum Coordinator

DEH Inspector (Name & Title):

N. RAMUNDO, CPHOI